#### DATASHEET


## RXVCam360 Video Conferencing Camera

4-Lens Panoramic 360° Video Conferencing Camera for Huddle Rooms and Small Meeting Spaces

#### **Overview**

Elevate hybrid meetings and collaboration in small rooms and huddle spaces with our sleekly designed 360° conference camera with 4 built-in microphones and speaker system. Designed to optimize the meeting experience in compact settings, the RXVCam360 brings unparalleled clarity and immersion to every interaction. Whether it's a cozy huddle room or small meeting space, our conference system is meticulously crafted to deliver exceptional performance, ensuring that no detail goes unnoticed, and every participant, on site or remote, feels fully engaged.





### **Key Features**

 $\checkmark$ 

- ) Exceptional image clarity via 4 hi-resolution lenses each with a 5M pixel camera, delivering a 360° field of view
- Ultra-high-resolution, high-quality 4K video at 30fps
  - Powerful 8 W speaker and 4 microphones to provide a perfect audio experience
- Advanced AI-powered video conferencing features
- In-room control via AudioCodes RX-PAD room controller or dedicated Bluetooth remote control unit
- Centralized management and monitoring via the AudioCodes Device Manager



### **Benefits**



 $\checkmark$ 

 $\checkmark$ 

 $\checkmark$ 

All-in-one audio/video: solution, perfect for small rooms and huddle spaces

Captures every transaction: clearly with high-quality audio and 360° video

AI-powered feature: such as voice tracking, smart gallery and panoramic mode for a dynamic and engaging meeting experience.

Seamless integration: Works flawlessly with AudioCodes Microsoft Teams Rooms (MTR) devices for a streamlined video conferencing experience.

# SPECIFICATIONS

Image Sensor Specifications		
Image Sensor	1/2.7"	
Effective Pixel	5M	
Maximum frame rate	30fps	
Camera		
Quantity	4	
Focal Length	2.49mm	
Aperture	F/2.5	
Field of View	HFOV360°	
Hardware Output		
Output resolution	NV12 2560×1440P 30 fps (16:9) MJPG 3840×2160P 30 fps (16:9) MJPG 1920×1080P 30 fps (16:9) MJPG 1280×720P 30 fps (16:9) YUY2 1920×1080P 30 fps (16:9) YUY2 1280×720P 30 fps (16:9) YUY2 640×360P 30 fps (16:9)	
Microphone		
Quantity	4	
Signal to noise ratio	63dB	
Pickup range	3m	
Pickup angle	360° (H)	
Response frequency	100Hz~8kHz	



On a silve s		
Speaker		
Quantity	1	
Rated power	8W	
Sound pressure level	1m ≥ 75dBSPL @pink noise	
Signal to noise ratio	≥75dB	
Distortion	≤5%	
Cavity volume	0.228L	
Frequency response range	100Hz~20kHz	
Power		
Power supply	12V3A	
Maximum power consumption	24W	
I/O port		
USB 3.0 Type-C	1	
Physical Specifications		
Dimension L x H x D	84.5 × 84.5 × 274.9mm	
Net weight	0.8kg	
Accessories		
USB cable ×1, Remote control ×1, Adapter ×1, Adapter plug ×5		
Environmental Conditions		
Operation Temperature	0°C~40°C	
Opeartion Humidity	10%~90%RH	

International Headquarters Naimi Park, 6 Ofra Haza Street, Or Yehuda, Israel Tel: +972-3-976-4000



AudioCodes Inc. 80 Kingsbridge Road Piscataway, NJ 08854 Tel: +1-732-469-0880 Fax: +1-732-469-2298 www.audiocodes.com/contact www.audiocodes.com ©2024 AudioCodes Ltd. All rights reserved. AudioCodes, AC, HD VoIP, HD VoIP Sounds Better, IPmedia, Mediant, MediaPack, What's Inside Matters, OSN, SmartTAP, User Management Pack, VMAS, VoIPerfect, VoIPerfectHD, Your Gateway To VoIP, 3GX, VocaNom and AudioCodes One Voice are trademarks or registered trademarks of AudioCodes Limited. All other products or trademarks are property of their respective owners. Product specifications are subject to change without notice.